

COBURN TROLLEY TRACK MFG CO
HOLYOKE
MASS.
U.S.A.





COBURN TROLLEY TRACK M'FG. CO.

CATALOGUE *and* PRICE LIST

Number 47

PATENT ROLLING LADDERS

EVERY SHIPMENT SUBJECT TO THIRTY DAYS'
TRIAL, IF NOT SATISFACTORY TO BE
RETURNED AT OUR EXPENSE



Warehouses

NEW YORK, 90 WEST STREET
PHILADELPHIA, 422 COMMERCE STREET
CHICAGO, 65 EAST LAKE STREET
CINCINNATI, LINCOLN INN COURT BLDG.
BOSTON, 180 HIGH STREET

Branches

LONDON, BIRMINGHAM, MANCHESTER, ENGLAND
GLASGOW, SCOTLAND

Main Office and Works

HOLYOKE, MASSACHUSETTS, U.S.A.

TERMS

All bills are payable in sixty days net, or a discount of two per cent. for cash in ten days from date of invoice.

Accounts overdue are subject to a sight draft.

All claims for errors in shipments or for shortages must be made within five days after receipt of goods.

Goods are sold f. o. b. cars at shipping point unless freight allowance is quoted.

All agreements are contingent upon strikes, accidents or other causes beyond our control.

Quotations are made for immediate acceptance.

We will replace free of charge any goods made by us that are found defective on account of material or workmanship.

Do not return any goods to us without first writing us for shipping instructions.

Prices in this catalogue subject to change without notice.



ILLUSTRATION NO. 2.

Particular attention is called to the special feature of this ladder, in the small amount of room this ladder occupies when not in service, as shown by small cut in background. The construction of this ladder is such that no unnecessary strain comes on shelves or fixtures.

For description of ladder see page 4.

For prices see page 5.



ILLUSTRATION NO. 1.

This style of ladder is usually made of either Hard Pine or Quartered Oak, and the iron work finished with Aluminum Bronze.


Prices for other kinds of wood, or finish for fixtures, quoted on application.

Ladders are sixteen inches wide outside. Sides 3 inches wide and treads $4\frac{1}{2}$ inches wide.

Carriage to allow Nos. 1, 2, 3 and 5 ladders to operate around curved track can be furnished at an additional list price of \$10.00.

See opposite page for prices.

COBURN TROLLEY TRACK M'FG. CO.



PRICES OF LADDERS, TRACKS AND FIXTURES. NOS. 1, 2, 3 AND 5.

	List Price.
Hard Pine straight slant ladder, with solid sides, complete.....	\$18.00
Oak straight slant ladder, with solid sides, complete.....	22.00
Extra for either Pine or Oak ladder, with bent sides.....	2.00
Wood pole track per foot, including brackets.....	.30
No. 11 Joint block for wood pole track, 1 inch extension.....	.20
No. 12 Wood block for wood pole track, 1 inch extension.....	.20
No. 163 Iron bracket for top of cornice, Ladder No. 3, 1 in. extension.....	.20
No. 1211 Iron bracket for top of cornice, Ladder No. 3, 2 in. extension.....	.20
No. 213 Iron bracket for pole track, Ladder No. 2, 3 in. extension.....	.20
No. 230 Iron bracket for pole track, Ladder No. 2, 2 1/2 in. extension.....	.20
No. 214 Iron bracket for pole track, Ladder No. 2, 2 in. extension.....	.20
No. 215 Iron bracket for pole track, Ladder No. 1, 1 1/2 in. extension.....	.20
No. 166 Iron bracket for pole track, Ladder No. 1, 1 1/8 in. extension.....	.20
No. 1 Carriage for Ladders Nos. 1, 2, 3, 5 and 6.....	10.00
Bottom Rolls, only with rubber tires, per pair.....	3.00
Nos. 138 and 137 Bottom Rolls complete for Ladders 1, 2, 3 and 5.....	5.00
Rubber Tires, per pair.....	1.60

(In ordering parts be sure to give page number as well as part number.)



ILLUSTRATION NO. 3.

The track for this ladder is shown attached to top of cornice with No. 163 or No. 1211 track bracket, illustrated on page 5. No track is required on floor for this style of ladder.

For general description of ladder see page 4.

Ladders 1, 2 or 3 furnished with either rubber tired or iron faced wheels.

Add \$2.00 to list prices given on page 5 for bent ladders—for either Pine or Oak.



ILLUSTRATION NO. 5.

This type of ladder requires a one-half round iron track on counter ledge to keep the ladder in position, with grooved iron wheels to run on same.

PRICES OF NO. 5 LADDER, TRACK AND FIXTURES.

	List Price.
Hard Pine bent Ladders, complete.....	\$20.00
Oak bent Ladders, complete.....	24.00
Wood track with brackets, per foot.....	.30
Half round iron track for base, shelf or floor, per foot.....	.10



ILLUSTRATION NO. 6.


This style of ladder is for use when it is desired to eliminate the track on the ledge, and the condition of the floor will not permit the ladder to operate freely.

It is necessary to use tubular iron track, which must be securely fastened, preferably to the uprights, to secure sufficient strength.

Plain hardwood rolls, or rubber covered rolls furnished as desired.

Prices on opposite page.

COBURN TROLLEY TRACK M'FG. CO.



PRICES OF NO. 6 LADDER, TRACK AND FIXTURES.


	List Price.
Hard Pine bent Ladder, wood fender rolls.....	\$18.00
Oak bent Ladder, wood fender rolls.....	22.00
Add to above list for rubber covered rolls.....	1.00
Tubular Iron track, per foot, including brackets.....	.50
No. 215 Iron bracket for pole track, 1½ inch extension.....	.20
No. 166 Iron bracket for pole track, 1⅛ inch extension.....	.20
No. 230 Iron bracket for pole track, 2½ inch extension.....	.20
No. 213 Iron bracket for pole track, 3 inch extension.....	.20
No. 1211 Iron bracket for pole track, attached to top of cornice, 2 inch extension.....	.20
No. 163 Iron bracket for pole track, attached to top of cornice, 1 inch extension.....	.20
No. 1 Ladder Carriage.....	10.00
No. 315 Fender Rolls for Ladder, complete, per pair.....	3.00
Plain wood rolls only, per pair.....	1.00
Rubber covered rolls only, per pair.....	2.00



ILLUSTRATION NO. 8.

The construction of this ladder, which allows it to be easily removed from the track, makes it particularly adaptable for use in vaults, file-rooms, linen closets and small spaces where the installation of more than one ladder would be objectionable for any reason. By having separate tracks, all four sides of a room can be made accessible with only one ladder.

For prices see opposite page.



PRICES OF NO. 8 LADDER, TRACK AND FIXTURES.

	List Price.
Hard Pine bent Ladder.....	\$12.00
Oak bent Ladder.....	16.00
For straight Ladders, deduct \$2.00 from above list.	
Wood pole track, per foot, including brackets.....	.30
Half round Iron track, for base, shelf or floor, per foot.....	.10
No. 1651 Cornice bracket for pole track.....	.20
No. 1663 and 1651 Regular brackets for uprights for pole track....	.20
No. 1600 Shelf bracket for pole track.....	.20
No. 1649 Hooks for top of ladder, per pair.....	2.00
Nos. 138 and 137 Right and Left Hand bottom rolls, complete with grooved iron rolls.....	4.00




ILLUSTRATION NO. 9.


For hardware and other stores where heavy merchandise is to be handled, this ladder is recommended.

This style of ladder is usually made of Hard Pine or Oak and is 13⁵/₈" wide, outside. Ladder fittings finished in Aluminum Bronze. No. 1 track and brackets are used with this ladder—track regularly furnished in 4, 5 and 6-foot lengths—can be furnished any length up to 10 feet—brackets, however, should be spaced not over 6 feet apart.

For plastered ceilings, ceiling strips should be used.

For prices see opposite page.

COBURN TROLLEY TRACK MFG. CO.



PRICES OF NO. 9 LADDER, TRACK AND FIXTURES.

	List Price.
Hard Pine Ladder, complete.	\$20.00
Oak Ladder, complete.	24.00
No. 1 Trolley track, per foot, including brackets.	.30
No. 1 Curved Trolley track, per foot, including brackets.	1.00
No. 23 Open track brackets, also closed ends, each.	.30
No. 9 Carriage, complete without hood.	6.00
No. 162 Swivel Hood for Ladder with curved track.	2.00
No. 4 Lock for Swivel Hood.	2.00
No. 5 Rigid Hood.	1.00
No. 31 Bottom rolls, rubber tired, complete, per pair.	5.00
Rubber tires only, per pair.	1.60
Pine ceiling strips, per foot.	.10
Oak ceiling strips, per foot.	.20




ILLUSTRATION NO. 10.

This ladder is adaptable for stores where light-weight merchandise is to be handled, and is very easy running and neat in appearance.

The hard wood track for this ladder should be securely fastened to ceiling, and if ceiling is plastered, ceiling strips should be used.

For prices see opposite page.



PRICES OF NO. 10 LADDER, TRACK AND FIXTURES.

	List Price.
Hard Pine Ladder.....	\$20.00
Oak Ladder.....	24.00
Straight wood pole track, including brackets, per foot.....	.30
Curved wood track, including brackets, per foot.....	.50
Straight tubular Iron track, per foot.....	.50
Curved tubular Iron track, per foot.....	1.00
No. 63 Iron bracket for pole track.....	.20
No. 10 Ladder Carriage, complete without hood.....	10.00
Swivel Hood No. 162 for curved track.....	2.00
No. 4 Lock for swivel hood.....	2.00
No. 5 Rigid Hood.....	1.00
No. 31 Iron bracket for pole track.....	5.00
No. 31 Bottom Rolls, rubber tired, complete, per pair.....	1.60
Rubber tires only, per pair.....	.10
Pine ceiling strips, per foot.....	.20
Oak ceiling strips, per foot.....	

SUGGESTIONS AND INSTRUCTIONS.

NOTE 1. Select the ladder best suited to your shelving and accurately fill in the measurements on the order blanks on opposite page of catalogue, for the style of ladder wanted.

NOTE 2. We advise locating the tracks for ladders Nos. 1-5-6-8 as near as possible to a point 3 or 3½ feet below the highest point at which the goods will be stored. Construction of shelving will, however, have to be considered in locating the track.

NOTE 3. If you prefer style of ladders Nos. 1 to 8 inclusive, keep in mind the fact that any ladder having the bottom rolls resting on the floor is preferable to one supported by a track on the shelving or on the base shelf (ledge). A track on the floor is undesirable, but not so much as a track on the ledge, which must be kept clear of goods in order that the ladder may be operated.

NOTE 4. We desire to have 12 inches of clear space above the track for the top of ladders Nos. 1-5-6-8. This should be considered in locating the track. This space can be reduced to 6 inches if absolutely necessary, but it detracts from the looks of the ladder to make it so.

NOTE 5. When the distance from the counter ledge to where the track is located is 6 feet or more, and the counter ledge does not exceed 16 inches in width we advise using straight ladders, they being easier of ascent and descent and take up but very little more floor space.

NOTE 6. If you order No. 6 style ladder we must have the exact distance from center to center of shelf uprights, also state width of same, if the track brackets are to be attached to uprights.

NOTE 7. Should your shelving differ from those illustrated by us send us a sketch with all measurements defined and we will advise you as to the best possible application of track, etc.

NOTE 8. Be sure that measurements are accurate and correct in all cases so that we can send the track properly bored for the brackets.

NOTE 9. Top shelves or side shelves we will furnish free of charge whenever desired. In ordering ladders Nos. 9 or 10 advise if ceiling strips are wanted, otherwise we do not send same, as we assume that your ceiling is strong enough to attach the ladder to properly.

NOTE 10. Ladders are approximately one foot longer than distance from floor to track shelf, or floor to ceiling.





ORDER BLANK

Be sure and cross off specifications for detail not wanted.

ORDER BY NO. ONLY.

Ladder No. Hard Pine or Oak, solid or open sides, bent or straight, with or without top shelf.

For ladders, style No. 9 or 10 give exact distance from floor to ceiling at both ends and middle of shelving.

TO ORDER LADDERS STYLES NOS. 1 TO 8.

For ladders Nos. 1, 4, 5, 6, 7, 8 give measurements A, B, C, D.

Also measurements A, C at both ends and in middle of shelving, if there is any variation.


For ladders Nos. 2 and 3 give all measurements except B, C, D.

Also give measurement E at both ends and center of shelving, if there is any variation.

	RUN No. 1	RUN No. 2	RUN No. 3	RUN No. 4
A				
B				
C				
D				
E				
F				
G				
H				
I				
J				
K				

Mark in spaces below No. of ladders wanted for each run of track.

--	--	--	--	--



ORDER BLANK

Be sure and cross off specifications for detail not wanted.

ORDER BY NO. ONLY.

Ladder No. Hard Pine or Oak, solid or open sides,
bent or straight, with or without top shelf.

For ladders, style No. 9 or 10 give exact distance from floor to ceiling at both ends and middle of shelving.

TO ORDER LADDERS STYLES NOS. 1 TO 8.

For ladders Nos. 1, 4, 5, 6, 7, 8 give measurements A, B, C, D.

Also measurements A, C at both ends and in middle of shelving, if there is any variation.

For ladders Nos. 2 and 3 give all measurements except B, C, D.

Also give measurement E at both ends and center of shelving, if there is any variation.

	RUN No. 1	RUN No. 2	RUN No. 3	RUN No. 4
A				
B				
C				
D				
E				
F				
G				
H				
I				
J				
K				

Mark in spaces below No. of ladders wanted for each run of track.

--	--	--	--	--

